

MCF SYSTEMS ATLANTA INC.

5353 Snapfinger Woods Dr.
Decatur, GA 30035

WASTE MATERIAL PROFILE



COMB - Filters

PROFILE #: 35COMB2

A. CUSTOMER INFORMATION
Generator
Facility Address (No P.O. Box)
City/State/Zip
Technical Contact
Phone
NAICS # 81232
Check if Billing Same
Billing Company
Billing Address
City/State/Zip
Billing Contact
Phone
FAX
Email
STATE ID #

B. SHIPPING INFORMATION
US DOT Shipping Name
Waste Combustible Liquids, n.o.s.
Hazardous Class / Division #
Combustible
UN NA1993
Packaging Group PG III
RQ NA
Size 55, 15 or 20
Container Type: STEEL/PLASTIC
Quantity: 3 - 4
Frequency: Quarterly

C. GENERAL MATERIAL & REGULATORY INFORMATION
Name of Material
Dry Cleaning Combustible FILTERS (Exxon 2000 / Green Earth)
Process Generating the Material
Dry Cleaning Operation
Yes No
Regulated or licensed Radioactive Waste
Regulated Medical/Infectious Waste
Waste Subject to Benzene NESHAP regulations
TSCA Regulated PCB Waste: List PCB Level in Section D
Regulated Ozone Depleting Substance
CERCLA Regulated (Superfund) Waste
Contains UHCs/Constituents of Concern: List in Section D
Exempt Waste: If yes, list ref. 40 CFR
For Artesia, MS: Does Waste Material Contain, or is derived from
dioxin-listed wastes with F020-F023 or F027 waste codes?
State Hazardous Waste: List Codes
EPA Hazardous Waste: List Codes
Source Code G 19
Form Code W 310
Mgt Method H 20

D. MATERIAL COMPOSITION (Range Total > or = 100%) or ppm
Table with 2 columns: Component and Percentage
Synthetic Hydrocarbons: 20-40%
Carbon: 50-70%
Dirt & Soil (Inert Materials): 5-35%
Oil & Grease: 5-10%
Steel: 5-15%
Water: 1-20%
MSDS Attached
Total: >100 %

E. REACTIVE CHARACTERISTICS
Yes No
Oxidizer
React Sulfides
React Cyanides
water/Air (Pyrophoric)React.
Elemental Constituents (ppm): Sb, As, Ba, Be, Cd, Cr, Pb, Hg, Ni, Se, Ag, Ti, V

F. PHYSICAL CHARACTERISTICS
Flash Point: ° F (if <73 °F)
pH Range
Phases
% Liquid
% Sludge
% Solid
BTU's/lb:
Specific Gravity:
1.1

G. COMMENTS

REQUESTED LEAD PART NUMBER

H. GENERATOR CERTIFICATION
I hereby certify that I am an authorized agent of the generator, and warrant on behalf of the generator that the information supplied on this form and on any attachments or supplements hereto is complete and accurate, and that all known or suspected hazards of the material(s) described herein have been disclosed.

Generator Signature:
Printed Name and Title:
Date:

MCF SYSTEMS ATLANTA INC.

5353 Snapfinger Woods Dr.
Decatur, GA 30035

WASTE MATERIAL PROFILE



COMB - Liquids

PROFILE #: 35COMB3

A. CUSTOMER INFORMATION
Generator, Facility Address, City/State/Zip, Technical Contact, Phone, FAX, NAICS #, Billing Company, Billing Address, City/State/Zip, Billing Contact, Phone, FAX, Email, EPA ID #, STATE ID #

B. SHIPPING INFORMATION
US DOT Shipping Name, Waste Combustible Liquids, n.o.s., Hazardous Class / Division #, UN, NA1993, Packaging Group, PG III, RQ, NA, Size, 55, 15 or 20, Container Type: STEEL/PLASTIC, Quantity: 3 - 4, Frequency: Quarterly

C. GENERAL MATERIAL & REGULATORY INFORMATION
Name of Material: Dry Cleaning Combustible LIQUIDS (Exxon 2000 / Green Earth)
Process Generating the Material: Dry Cleaning Operation
Yes No Yes No
Regulated or licensed Radioactive Waste
Regulated Medical/Infectious Waste
Waste Subject to Benzene NESHAP regulations
TSCA Regulated PCB Waste: List PCB Level in Section D
Regulated Ozone Depleting Substance
CERCLA Regulated (Superfund) Waste
Contains UHCs/Constituents of Concern: List in Section D
Exempt Waste: If yes, list ref. 40 CFR
For Artesia, MS: Does Waste Material Contain, or is derived from
dioxin-listed wastes with F020-F023 or F027 waste codes?
State Hazardous Waste: List Codes
EPA Hazardous Waste: List Codes
Source Code G 19, Form Code W 202, Mgt Method H 20

D. MATERIAL COMPOSITION (Range Total > or = 100%) or ppm
Table with 2 columns: Component, Percentage
Synthetic Hydrocarbons: 10-40%
Dirt & Soil (Inert Material): 5-15%
Oil/ Grease: 5-40%
Water: 1-20%
MSDS Attached, Total: >100 %

E. REACTIVE CHARACTERISTICS
Yes No
Oxidizer
React Sulfides ppm
React Cyanides ppm
water/Air (Pyrophoric)React.
Elemental Constituents (ppm): Sb, As, Ba, Be, Cd, Cr, Pb, Hg, Ni, Se, Ag, Ti, V

F. PHYSICAL CHARACTERISTICS
Flash Point: ° F (if <73 °F)
pH Range
Phases, % Liquid, Viscosity cps
% Sludge, % Solid, % Halogens
BTU's/lb, Specific Gravity

G. COMMENTS

REQUESTED LEAD PART NUMBER

H. GENERATOR CERTIFICATION
I hereby certify that I am an authorized agent of the generator, and warrant on behalf of the generator that the information supplied on this form and on any attachments or supplements hereto is complete and accurate, and that all known or suspected hazards of the material(s) described herein have been disclosed.
Generator Signature, Printed Name and Title, Date